






## MOTOTRBO TWO-WAY RADIO SOLUTIONS AT A GLANCE



## DISCOVER THE ULTIMATE IN SEAMLESS OPERATIONS WITH A TOTAL MOTOTRBO SOLUTION

Having MOTOTRBO at the heart of your organisation will help you achieve new levels of productivity, safety and efficiency. The extensive portfolio means you can custom-build your complete solution including radios, infrastructure, systems, accessories, applications and services designed around what you need today and in the future.

### **INSTANTANEOUS PTT** COMMUNICATION

Nothing is faster than push-to-talk (PTT) when you need a guick answer or immediate emergency response. It provides real time communication for individuals or groups across your entire team from the control room to the front-line, resulting in loyal customers, satisfied employees and increased business.

### **HEAR AND BE HEARD CLEARLY IN NOISY ENVIRONMENTS**

Superb audio quality means MOTOTRBO delivers crystal-clear communications. The Intelligent Audio feature automatically adjusts radio volume up and down in response to the level of noise in the workplace. And with MOTOTRBO's background noise suppression, you can be confident communication is loud and clear.

### REACH YOUR WORKFORCE WHEREVER THEY GO

Hear calls clearly over a greater range. MOTOTRBO features advanced digital signal processing to deliver voice integrity and clarity to the limits of coverage. And thanks to DMR TDMA technology, MOTOTRBO delivers twice the call capacity of analogue radios so more workers can use voice and data, without worrying about privacy or interference.

### KEEP COMMUNICATING FOR LONGER

Because MOTOTRBO radios use much less power in digital mode than analogue, batteries last significantly longer on a single charge.

### **CHOOSE THE RIGHT SOLUTIONS FOR** THE RIGHT USERS

Whether you want ultra-light portables or extra-tough mobiles, integrated Bluetooth® and Wi-Fi® or industry-leading data applications, MOTOTRBO has the right devices and systems to fit your workforce now, and enables you to evolve as your enterprise grows.

### MOVE FROM ANALOGUE TO DIGITAL WITH EASE

Migrate at your own pace, one talk group or department at a time. MOTOTRBO radios operate in both analogue and digital mode, so you can use them on your existing legacy system and move to digital when you're ready - all while running operations smoothly.

### GET ADVANCED CAPABILITIES AND BUSINESS-CRITICAL FEATURES

MOTOTRBO has innovative features such as Transmit Interrupt, which lets you prioritise communication the moment it's needed. Man Down and Lone Worker applications call for help when personnel can't. Location tracking monitors vehicles, assets and the user in real time.

### LEVERAGE EXPERT APPLICATIONS THAT GET THE JOB DONE EFFICIENTLY

MOTOTRBO fits the way businesses run today, with an expert Application Developer Programme that helps you customise your communication solution to your environment and workforce. Solutions range from text messaging, centralised dispatch and GPS/GLONASS tracking to personnel monitoring and work order ticket management. Applications like these make it easier to accomplish multiple tasks on a single purpose-built device.

### KEEP CONNECTED WHEN CONDITIONS **ARE TOUGHEST**

MOTOTRBO is made to last. We design and engineer MOTOTRBO products to survive the harsh conditions of everyday business. The rugged, waterproof and intrinsically safe radios endure rigorous Accelerated Life Testing (ALT) which simulates up to 5 years of field use.

### REACH EVERYONE, ANYWHERE

When you're running a professional operation, you need more than just radio-to-radio communications. MOTOTRBO has coverage options to suit your needs whether you're operating in a single building, a large campus, or even multiple locations around the world. Connecting thousands of radio and smartphone users, your capacity options are virtually unlimited.







## PORTABLE AND MOBILE RADIOS

The MOTOTRBO two-way radio portfolio offers you a wide choice of devices, from simple voice-only models to feature-rich voice and data radios. All devices work together seamlessly to deliver advanced features to enhance your safety, productivity and efficiency. With exceptional voice quality and outstanding usability, MOTOTRBO keeps your workforce connected.





### **DP1400**

### SIMPLE VOICE COMMUNICATIONS FOR THE EVERYDAY USER WHO WANTS TO STAY CONNECTED

Communicate simply and clearly. The DP1400 gives you affordable analogue voice communications, with the option to upgrade to MOTOTRBO digital when you're ready. With great performance and rugged durability, the DP1400 simply keeps your workforce connected.

COMPATIBLE WITH: 1 IP SITE CONNECT (X) CAPACITY PLUS (X) CAPACITY MAX









### **SL1600**

### SLIM AND STYLISH, FOR THE USER WHO NEEDS EASY CONNECTIVITY

Discover freedom with this slim, lightweight radio. An eye-catching Active View display combines ruggedness with simplicity, and patented Range Max technology delivers great coverage with long battery life in a small, convenient form factor. The radio supports analogue and digital modes, and is complemented by a range of innovative accessories.

COMPATIBLE WITH: 1 IP SITE CONNECT (X) CAPACITY PLUS (X) CAPACITY MAX







### **DM1000 SERIES**

### SIMPLE VOICE COMMUNICATIONS FOR THE EVERYDAY USER WHO WANTS TO STAY CONNECTED

The DM1400 and DM1600 mobile radios allow drivers and control room staff to communicate without distraction. Great performance and a straightforward user interface mean they are ideal to keep your workforce connected simply and cost-effectively.

COMPATIBLE WITH: 1 IP SITE CONNECT (2) CAPACITY PLUS (2) CAPACITY MAX









### **DP2000e SERIES**

### COMPACT AND CAPABLE, FOR THE BUSY WORKER WHO NEEDS TO COMMUNICATE **EFFICIENTLY**

The DP2000e Series offers a feature-set geared to maximum workplace efficiency. Enhanced audio quality, impressive battery life, Intelligent Audio and voice announcement give easy, effective communication in challenging environments. Includes both analogue and digital capabilities so you can transition to digital when you're ready. A TIA4950-certified version is also available for use in hazardous environments1.

COMPATIBLE WITH: VIPSITE CONNECT (1) CAPACITY PLUS (2) CAPACITY MAX











### PORTABLE AND MOBILE RADIOS

### SL2600

### INSTANT COMMUNICATION, PROFESSIONAL STYLE

Slim, lightweight, and discreet, the MOTOTRBO SL2600 portable two-way radio gives you the power of instant two-way communication without compromising your style. Get quick access to key radio functions along with information at a glance. Connect discreetly to Bluetooth earpieces and sensors and access Wi-Fi networks for over-the-air software updates.











### DM2600

### AFFORDABLE VOICE COMMUNICATIONS FOR THE BUSY PROFESSIONAL

The power of digital is within reach. The DM2600 mobile radio features voice systems capability, twice the calling capacity and clearer voice communications. With Intelligent Audio, drivers don't need to adjust radio volume to avoid missing a call: the DM2600 monitors background noise and automatically adjusts itself.









### **DP3000e SERIES**

### BIG PERFORMANCE FROM A SMALL, RUGGED AND WATERPROOF RADIO

Incredibly compact and exceptionally rugged, the MOTOTRBO DP3000e Series is the perfect solution for the professional on the move. It fits comfortably in your hand, integrates voice and data seamlessly and is loaded with all the benefits of the latest digital technology - superb audio quality, amazing voice clarity, outstanding coverage, long-lasting battery life and more: all packaged in a robust and waterproof IP68rated form factor. A TIA4950-certified version is also available for for use in hazardous environments<sup>1</sup>.

COMPATIBLE WITH: PSITE CONNECT CAPACITY PLUS CAPACITY MAX









### **DP4000e SERIES**

### POWERFUL AND SOPHISTICATED, FOR THE PROFESSIONAL WHO REFUSES TO COMPROMISE

When you need complete connectivity, the DP4000e Series delivers. These portable radios offer a full set of features and rich functionality in one powerful device including superb audio quality, long battery life, full colour display, built-in Bluetooth 4.0, integrated Wi-Fi, GPS/GLONASS and text messaging. A TIA4950-certified version is also available for for use in hazardous environments1.

COMPATIBLE WITH: O IP SITE CONNECT CAPACITY PLUS CAPACITY MAX











### PORTABLE AND MOBILE RADIOS

### SL4010e

### SLEEK AND SMART, FOR A STYLISH WAY TO ACHIEVE COMPLETE CONTROL

Stay in control with the ultimate in professional digital communications. This slim and light portable radio is packed with features to help you direct operations. From integrated Wi-Fi and Bluetooth 4.0, to a user interface designed for the latest workforce management applications, the SL4010e has everything you need to boost safety and productivity.









### **DP4000 Ex SERIES**

### SPECIALISED PRODUCTS FOR POTENTIALLY EXPLOSIVE LOCATIONS

DP4000 Ex Series portable radios are ATEX and IEC Ex certified for use in potentially explosive environments where flammable or explosive gas, vapor or dust may be present. They have a comprehensive feature set, and have blue colouring for easy identification. The radios are available with a dedicated portfolio of ATEX certified accessories.









### **MOTOTRBOION**

### **OUR FIRST BUSINESS-READY COMMUNICATION DEVICE WITH ALWAYS-ON VOICE AND BROADBAND DATA CAPABILITIES**

MOTOTRBO Ion brings together renowned PTT performance, an open app ecosystem on the Android platform, and access to our unified technology ecosystem - from video security and analytics solutions, to best-in-class network security, to powerful new software and technology services like smart virtual assistants.







### **DM4000e SERIES**

### POWERFUL AND SOPHISTICATED, FOR THE PROFESSIONAL WHO REFUSES TO COMPROMISE

The DM4000e Series offers a full set of features and rich functionality in one powerful device. It delivers analogue and digital modes, excellent range, superb audio quality, optional full colour display, integrated Bluetooth 4.0 and Wi-Fi, GPS/GLONASS, text messaging and expert applications customised to your business.











UL Hazloc models available



Within the EU, radios and accessories must be ATEX certified for use in potentially explosive environments





### **RADIO ACCESSORIES**

From discreet earpieces to efficient battery solutions, our complete portfolio of accessories optimises the performance of your MOTOTRBO radio. They are designed to help you perform your best, wherever you work, and unleash the power of the industry's most advanced digital radio platform.

### **EARPIECES**

Transmit and receive discreetly with a variety of earpieces that feature a streamlined design and rugged cables that withstand tough conditions. With in-line push-to-talk and microphones, they're easy to use on the go. Our flexible array of surveillance kits includes two-wire kits (one wire for receiving, one wire for transmitting) and more discreet three-wire kits (separate wires for transmitting, receiving and push-to talk).



### HEADSETS

Protect hearing and facilitate communications in noisy environments. Select from a wide range of comfortable, durable, lightweight to heavy duty headsets with noise-canceling boom microphones and in-line push-to-talk.



### BLUETOOTH WIRELESS FOR PORTABLE AND MOBILE RADIOS

Unleash the power of your MOTOTRBO radio without wires getting in the way. Our extensive suite of Bluetooth accessories free you to take the radio off your belt, leave your vehicle or step away from your desk and stay connected up to 100m (300 feet) away. Choose from a variety of earpieces, heavy duty wireless headsets and push-to-talk solutions that let you move without constraints around the workplace.





RADIO ACCESSORIES

### BATTERIES AND CHARGERS

Motorola Solutions develops and tests our batteries for optimal performance with MOTOTRBO radios and they outperform other brands of batteries. IMPRES™ batteries can be charged 150 additional times versus a standard battery - a 43% increase in charge cycles. IMPRES Over the Air Battery Management automatically collects battery information over the air while radios are in use, making battery management easier than ever.



### REMOTE SPEAKER MICROPHONES (RSMs)

Communicate clearly in loud workplaces. MOTOTRBO RSMs have exclusive audio features like Windporting for windy outdoor environments and noise-cancelling to reduce background noise. Exclusive IMPRES technology ensures your voice is heard loudly and more clearly over a wide range of conditions and the INC RSM suppresses extreme noise from high decibel equipment and heavy machinery so you can be heard above all.



### MOBILE RADIO MICROPHONES

Choose microphones designed to keep workers safely connected on the move. Keypad microphones let you easily navigate menus on your radios, dial phone numbers and send text messages. The heavy-duty microphone is easy to use while wearing gloves, and the telephone style handset is ideal for discreet communication. The Long Range Wireless Remote Speaker Microphone allows you to stay in touch even on remote job sites when you depend on your mobile radio but have to work outside your vehicle.



### CARRY SOLUTIONS

Carrying cases are available in sizes designed to fit your radio and battery and permit audio to be heard clearly. Our carry accessories keep your hands free, so you can concentrate on the task at hand. Choose from a wide range of nylon cases, leather cases, straps, holsters and clips, all designed to keep your radio protected, yet still easy to access.



### INSTALLATION AND MOUNTING KITS

Mount your radio on a desk or in your vehicle without compromising safety. Mounting kits give you the flexibility to mount the radio under or in your dashboard, or in the boot or under a seat when dash space is limited.








### **SYSTEMS**

No matter how large or small your enterprise, MOTOTRBO offers a wide range of systems specifically designed for your business — for the days ahead and the years beyond. You get the best of two-way radio with digital technology, and can enjoy integrated voice and data communication, increased capacity, enhanced features and exceptional voice quality, across the city and around the globe.





### DIRECT MODE / DUAL CAPACITY DIRECT MODE TALK DIRECTLY BETWEEN RADIOS WITHOUT ANY INFRASTRUCTURE

The most basic systems that allow portable and mobile radios to communicate directly with no infrastructure. Dual Capacity Direct Mode is available only on digital channels and supports two simultaneous voice/data paths while Direct Mode supports one analogue or digital voice channel.

### CONVENTIONAL **BASELINE SINGLE SITE COVERAGE AND CAPACITY**

A conventional system is a step up from basic radio-to-radio communications. Radios communicate via a high-power repeater, giving better coverage and more centralised control.

### **IP SITE CONNECT**

### **COVERAGE FOR MULTIPLE SITES**

Use your IP network to extend the voice and data capabilities of MOTOTRBO by linking repeaters together. You can create a continuous network that covers employees at 15 geographically-dispersed locations. You can also link up to 15 repeaters to create wide area coverage or enhance coverage quality at a single site.

### **CAPACITY PLUS**

### **COVERAGE AND CAPACITY FOR SINGLE AND MULTIPLE SITES**

Expand the capacity and extend the coverage of MOTOTRBO with this innovative digital trunking system. With multi-site Capacity Plus (formerly Linked Capacity Plus) you can connect up to 15 sites, each with up to 8 voice and data repeaters plus up to 12 dedicated data repeaters.

### **CAPACITY MAX**

### COVERAGE, CAPACITY AND CONTROL FOR SINGLE AND MULTIPLE SITES

DMR Tier III compliant trunking, plus more. MOTOTRBO Capacity Max blends advanced design with Motorola Solutions' extensive real-world experience of trunked radio systems to deliver a scalable communications solution that's perfect for your business.



Page 11





### **INFRASTRUCTURE**

Repeaters, controllers and gateways are the backbone of your MOTOTRBO two-way radio system. They ensure your radio network is available at all times and that communications are clear, reliable and secure across your enterprise.

A repeater brings many benefits to your workplace communications. With high transmitter power and a sensitive receiver, your coverage area is significantly boosted. The digital error correction capability within the unit also improves voice quality. And with the MOTOTRBO repeater IP interface, you can more efficiently implement operations-critical applications such as Work Order Ticketing, GPS Dispatch Consoles and Telephone Interconnect. MOTOTRBO repeaters support both analogue and digital signalling and can automatically switch modes when operating in mixed fleets.

Controllers and gateways expand the capabilities and reach of your communications network to boost functionality and expand coverage by connecting your MOTOTRBO system to other devices such as smartphones and tablets.





### SLR 1000 REPEATER

Using the SLR 1000 repeater, you can easily extend the range of your network through dead zones and across remote locations so everyone's within reach. Deploy the SLR 1000 indoors or out - it's IP65-rated for dust and water protection. The compact size gives you more installation options. And a low power, fanless design uses less space and energy.



### **SLR 5500 REPEATER**

The SLR 5500 offers high performance, high efficiency and a design for the future. The repeater has a 50 W continuous-duty output and high sensitivity for optimum coverage, plus high reliability and low power consumption for low cost of ownership. With a slim, modular design, the SLR 5500 is easy to install and service.



### **SLR 8000 REPEATER**

The SLR 8000 repeater packs up to 100 W continuous-duty operation into a case that is only 2U in height. It features high sensitivity for exceptional coverage and the modular design keeps reliability high while allowing for configurable options.



### CAPACITY MAX SYSTEM SERVER

Part of the Capacity Max trunking solution, the System Server hosts control and management functions. Each server can support up to 100 talkpaths. Redundant servers can be provisioned to increase system resilience.



### **WAVE GATEWAY**

Get WAVE broadband PTT without the startup costs or maintenance that come with servers installed in your facility. Cloud-based WAVE deployments use a simple WAVE Gateway to connect MOTOTRBO Capacity Plus or Capacity Max systems to our WAVE servers in our secure data center.







### **APPLICATIONS**

With a wide range of applications and an expert application partner programme, MOTOTRBO offers custom solutions that truly meet your business needs. Business-specific applications like these increase the level of efficiency, safety and productivity throughout your enterprise.



# **APPLICATIONS**



### COMMAND AND CONTROL

These applications work behind the scenes of your MOTOTRBO network to enhance the efficiency and responsiveness of your system. Interfacing to a Work Order Ticketing system, managing alarms and telemetry, and connecting to other messaging systems, they bring significant benefits to your business.



### PERSONNEL SAFETY

Increase the safety and accountability of your staff by deploying these applications. Features such as Man Down and Lone Worker can be linked to indoor and outdoor location services for maximum effectiveness.



### INTEROPERABILITY

Connect your MOTOTRBO radio system to other communication systems. From analogue two-way radio systems to SIP telephone networks or cellular providers, you can increase efficiency and increase collaboration.



### LOCATION

Track your vehicles and your staff for improved safety, security and accountability. These applications allow you to make the most of MOTOTRBO's GPS and GLONASS capabilities, and some even offer indoor location tracking capabilities.



### SYSTEM MONITORING

To get the best from your MOTOTRBO system, you need to know how it's performing. These applications give you a dashboard view of key metrics and parameters, with detailed logs helping you plan future growth and upgrades.



### **TEXT MESSAGING AND EMAIL**

Enhance productivity by connecting your radio network with your text and email system. Allow your staff to use advanced work order ticketing solutions, or simply streamline the flow of information between office and shop floor.



### **VOICE DISPATCH**

Giving you centralised control of your workforce, these applications offer customisable user interfaces to allow your dispatcher to coordinate your staff efficiently and effectively. They also enhance business connectivity by allowing telephony interconnections and multi-system patching.




### **WORK TICKET MANAGEMENT**

These applications enhance efficiency and accountability in the workplace using text-based issue management software. They can be integrated with your

existing work-order management solution or can be operated as an independent system.







## CONSOLES & SYSTEM MANAGEMENT

With options designed for your business, this portfolio of dispatch consoles and system management applications has the features you need to make quick decisions, mobilise a fleet and keep teams informed.





### **AVTEC SCOUT**

Avtec Scout is a true VoIP console system: all its components can be distributed over a LAN/ WAN using standard Ethernet connections. The system uses a wireline interface to connect with MOTOTRBO systems, for increased functionality, call capacity and system reliability.

Avtec Scout provides a dedicated media workstation that allows dispatchers to operate on standard hardware for reduced costs and radio and telephony integration are also supported.



### **TRBOnet PLUS**

TRBOnet PLUS is an IP-based dispatch application that enables users to fully control and manage all available resources. The software includes a wide range of advanced features and functions to extend capabilities beyond basic dispatch. Text messaging, voice recording, telephone interconnect and many other features all combine to boost communication efficiency.



### **SmartPTT PLUS**

SmartPTT PLUS is a dispatch software application for distributed MOTOTRBO radio networks. Standard functionalities include voice dispatch, texting, job ticketing, event logging and more. Optional features include GPS tracking, indoor location, voice recording, interoperability, telephone interconnect and a web client for remote system access. SmartPTT PLUS supports both the digital functions of the MOTOTRBO radios or their analogue mode for a seamless migration to a DMR system.





### WAVE PTX™ NETWORK-INDEPENDENT BROADBAND

WAVE PTX is a subscription-based group communication service that instantly connects your team at the push of a button across different devices, networks and locations. Install the app on your existing mobile devices or purchase dedicated WAVE PTX radios.

### WAVE PTX APPLICATIONS ENABLE YOUR WORKFORCE TO CONNECT AND COLLABORATE





WAVE PTX Mobile App turns your phone into a PTT handset that incorporates instant voice, photos, video and more into a single communication session.









### TAKE PTT FURTHER



### COMMUNICATE WITHOUT BOUNDARIES

Eliminate barriers between devices, networks and locations, and let everyone be part of the conversation.



### SEAMLESSLY EXTEND RADIO COMMUNICATION

Extend your private and group calls to broadband with a direct wireline connection.



### **CLOUD HOSTED**

No servers to buy, install or maintain so you can focus on your business.



### ON PREMISES

Take control of your communication with enterprise-grade equipment installed on-site.





### **SERVICES**

Ensure and maintain the robust performance of your MOTOTRBO radios with a complete suite of services. We've got you covered, from pre-installation to post-implementation, with expert support to make sure your business runs without interruption, disruption or unplanned downtime.



### SERVICES FOR MOTOTRBO TWO-WAY RADIOS

Critical communication has become increasingly complex as your MOTOTRBO two-way radios become more IP-based, supporting integrated data applications and enhanced features. Rely on us to help you achieve your performance targets with the right level of service you need for your radio fleet.

## ENHANCED, ESSENTIAL, AND ADVANCED SERVICES FOR MOTOTRBO TWO-WAY RADIOS AND INFRASTRUCTURE

Motorola Solutions is enhancing the MOTOTRBO platform with new service packages that include access to software updates, premium software features and extended hardware repair services. Your business's security and technology needs are rapidly evolving, and we want to make sure you have a world-class experience each and every time you use your MOTOTRBO products.

These new service packages bring three key benefits to your MOTOTRBO platform



### The Value of Software Updates

MOTOTRBO, as all computing systems, is composed of hardware and software. The value of hardware is significant, but static. The value of software, on the other hand, keeps growing over time. Access the latest and greatest features and functionality available with each software release for added capabilities, security, and reliability. This increases the value of your investment with every update.



Experience the power of the MOTOTRBO platform and go beyond voice with access to premium software features, previously sold a la carte. The features you need to increase productivity aren't wishful thinking - they're a smart reality. Enable the right premium software features for the right teams, so they can be safer and more efficient when it matters most.



### The Value of Hardware Repair

Our two-way radios and infrastructure are built for superior performance. With expert hardware repair, all radios and infrastructure are returned to factory specifications. Service centers are certified to comply with ISO9001.





### **COMPLEXITY MANAGED, CALM PREVAILS**



Advance Replacement for Network Hardware Repair is a repair exchange service for Motorola Solutions repeaters & Capacity Max system servers. This add-on service is available for systems so you can stay productive and run an efficient operation.



Accidental Damage offers you full coverage to keep you worry free.
Accidental Damage is an add-on service that provides you with additional coverage for your two-way radios for repair and replacement beyond normal wear and tear.



Network Monitoring is an add-on service for MOTOTRBO systems to help you monitor and update your network to improve response and continuity of your Capacity Max system.



## SERVICE TOOLS FLEET MANAGEMENT

### **CUSTOMER PROGRAMMING SOFTWARE**

The MOTOTRBO Customer Programming Software (CPS) provides complete access to the configuration of your radio. Update firmware, enable features, change talkgroups, add language packs and upload voice announcements to your radio from your desktop.

### **RADIO MANAGEMENT**

As an add-on to the CPS software, Radio Management gives you the capability to programme radios in batches to standardised templates. Reduce errors, organise large fleets more efficiently, and streamline large-scale updates.

### **OVER-THE-AIR PROGRAMMING**

Over-the-Air Programming (OTAP) allows you to update radios remotely, either via Wi-Fi or over the MOTOTRBO network. Updates can be centrally managed and scheduled to minimise disruption to your business-critical communications.

### RADIO CENTRAL

Radio Central is the latest fleet management software from Motorola Solutions. With RadioCentral you can manage and program multiple smart radios at a time. Cloud hosting allows smart radio codeplugs to be stored in a centralised database server, enabling remote configuration of data and remote programming of smart radios. With batch programming, jobs may be scheduled through an Over-The-Air-Programming (OTAP) connection, or USB or via Wi-Fi connection.

### **MYVIEW PORTAL**

MyView Portal is a web-based platform that gives you a transparent, single source view for system and service delivery information to help make smarter, faster and more proactive decisions to keep your network running smoothly and effectively.

### **IMPRES FLEET MANAGEMENT**

Regularly monitor the health and status of your radio fleet. By collecting data from each battery, you can now see recommendations on which batteries need replacing so that you can better optimise your battery spend over the lifetime of your radio fleet.









## BUSINESSES AROUND THE WORLD TRUST MOTOTRBO TO TRANSFORM THE WAY THEY WORK

Today, from the factory floor to the power line, MOTOTRBO radios are helping people work more efficiently, productively and safely. MOTOTRBO delivers the game-changing advantages of digital technology – from superb audio to expansive coverage – along with business-essential systems, applications and accessories that unleash the power of the radio.

MOTOTRBO puts the right device into the hands of the right user, to empower your workforce and transform your enterprise.



### **MOTOTRBO PORTABLE RADIO FEATURES**

		DP1000 DP2000e SERIES SERIES		DP3000e SERIES		DP4000e SERIES		DP4000 Ex SERIES		ION SMART RADIO	SL SERIES				
FEATURE	DESCRIPTION	DP1400	DP2400e	DP2600e	DP3441e	DP3661e	DP4000e/ DP4401e	DP4600e/ DP4601e	DP4800e/ DP4801e	DP4401 Ex	DP4801 Ex	lon Smart Radio	SL1600	SL2600	SL 4010e
GENERAL SPECIFICATIO	INS	1											Li 7.55	1	
Protocol	DMR digital or an alogue communication	Analogue/ Digital or Analogue Only <sup>5</sup>	Analog	jue/Digital	Analogu	e/Digital	An	alogue/Digi	tal	Analogu	e/Digital	Analogue/ Digital	Analogue/ Digital	Analogue/ Digital	Digital
Frequency Range	Capable of operating in the following frequency ranges	VHF & UHF			VHF & UHF		VHF&UHF!		VHF & UHF		UHF	VHF & UHF	VHF & UHF	UHF	
Max. Power Output	Radio's full power rating	4W UHF/ 5W VHF	4WUH	IF/5W VHF	4W UHF/5W VHF 4W UHF/5W VHF		1WUHF/VHF 4		4W	2W (An) / 3W (Dig)	2W(an) / 3W(dig)	3W			
Max. Channel Capacity	Programmable channel capacity	32	32	128	32	1000	32	1000	1000	32	1000	1000	99	256	1000
Display	Displays provide easy access to advanced features	No	No	2 Line Monochrome	No	5 Line Colour	No	5 Line Colour	5 Line Colour	No	5 Line Colour	Captive touchscreen	Active View	2 line OLED	5Line Colour
Keypad	Keypads provide access to radio controls, texting and telephony	No	No	Menu Buttons	No	Menu Buttons	No	Menu Buttons	Full Keypad	No	Full Keypad	Captive touchscreen	No	4 virtual buttons	Full Keypad
Integrated GPS & GLON ASS	Embedded GPS & GLONASS receiver for location monitoring	No		No	Y	es		Yes²		GPS	Only	Yes		No	
Integrated Bluetooth	Wire less connection for audio accessories	No No Audio and Data		Audio and Data <sup>2</sup>		No		Yes	No Audio Audi		Audio				
Capability Permanent Bluetooth	or data comms "Always on" mode used by some location	20000			SISTER CONTRACTOR		NOT		Yes	No	and Data	and Data			
Discovery Dedicated Emergency	tracking applications  Orange programmable button for one-touch	No	-	No		es	Yes²		No			2000	Option	Yes	
Button	emergency calling	No	-	No		es"		Yes	_	Y	es	Yes	No	No	Yes
Programmable Buttons	Allow access to most often used features with one press	2	2	4	2	4	3	5	5	3	5	3	1	1	2
Option Board Capability	Supports option boards for third party applications	No		No	Y	es		Yes		No	Yes	No	No	No	Yes
IMPRES Audio Compatible	IMPRES audio ensures your voice is heard clearer and louder	No		Yes	Yes Yes			Yes		Yes	No				
IMPRES Energy Compatible	Use IMPRES batteries for longer life and optimal performance	No		Yes	Y	es	Yes		Yes		Yes	No			
ATEX/IEC Ex Certified	Certified for use in potentially explosive environments	No		No	N	lo	No		Yes		No	No			
IP Rating	Rated sealing for dust and water ingression	IP54		P67		68	IP68		IP87		IP68	1P54			
Dimensions (HxWxL)	Physical size	128 x 62 x 42 mm <sup>4</sup>	122 x 5	6 x 36 mm*	10 0 x 63 x 30 mm	100 x 63 x 36 mm	130 x 55 x 34 mm <sup>4</sup>	130 x 55 x	36 mm <b>•</b>	138 x 57 x 38 mm <sup>4</sup>	138 x 57 x 40 mm <sup>4</sup>	173 x 70 x 29 mm <sup>4</sup>	128 x 55 x 22 mm	126 x 55 x 23 mm <sup>4</sup>	121 x 55 x 20 mm <sup>4</sup>
Dimensions (Weight)	Physical weight	341 g	265 g	282 g³	254 g <b>4</b>	290 g <b>4</b>	295 g*	330 g*	330 g*	456 g <b>4</b>	456 g <b>4</b>	414 g*	169 g <b>ʻ</b>	190 g <b>ʻ</b>	154 g*
FEATURES AND FUNCTI												1			
Intelligent Audio	Automatic volume control based on background no ise levels	No		Yes		es		Yes			es	Yes	No	Yes	Yes
Emergency Alarm	Radio can initiate a Emergency call process Initiates emergency if user does not respond to	Yes		Yes	Yes		Yes		Yes		Yes	Yes			
Lone Worker	periodic alerts  Radio can remotely activate another	Yes Decode	Decode	Yes	Yes		Yes Decode yes			Yes		Yes	Decode	Yes	
Remote Monitor	radio's microphone	Only	Only	Yes	Υ,	es	Only	Yes		Y	es	Yes	Only	Yes	Yes
Freeform Text Messaging	User can enter and send free-form text messages	No		No	N.	lo	No	No	Yes	No	Yes	Yes	No	No	Yes
Pre-programmed Text Messaging	Radio can send pre-programmed text messages	Yes		Yes	Y	es	Yes		Yes		Yes	Yes			
Vibrate Alert	Vibrate silently alerts the user to an incoming call Disable display, LEDs and audible tones for	No		ption		lo	Option		No		No	No No Yes		450,520	
Covert Mode	ultimate discretion	No		No	No		No		No		No	No	Yes	Yes	
Digital Telephone Patch	Ability to connect to telephone system (requires additional hardware)	No	0	ption	Y	es		Yes		Y	es	No	No	Option	Yes
Transmit Interrupt Decode	Radio transmissions can be interrupted by other radios	Yes	3	Yes	Y	es	Yes		Yes		Yes	Yes	Option	Yes	
Transmit Interrupt Encode	Radio can interrupt transmissions from other radios	No		Yes	Yes		Yes		Yes		Yes	No	Option	Yes	
Basic Privacy	MOTOTRBO 16-bit encryption for protection against eavesdropping	Yes	3	Yes	Yes		Yes		Yes		Yes	Yes			
Enhanced Privacy	MOTOTRBD 40-bit encryption for more robust protection	No	- 4	Yes Yes		Yes		Yes		Yes	No Yes Y		Yes		
AES256 Encryption	Advanced Encryption Standard (AES) 256-bit	No		No Option		Option		Option		Option	No	No	Option		
Default Voice	Audible confirmation of selected operations	Yes		Yes Yes		Yes		Yes		Yes (Text	Yes		S-100-10-10		
Announcement Programmable Voice	of the radio  Ability to use customised recordings for voice	778855	-			WAREN T		30.00		to Speech) Yes (Text					
Announcement	announcements  RM provides centralised radio configuration	Yes	Yes Yes		H2	Yes		Yes		to Speech)	Yes				
Radio Management	RM provides centralised radio configuration and code plug management	Yes	Yes		Yes		Yes		Yes		Yes	Yes			
Over the Air Programming (OTAP)	Remote, over-air programming using Radio Management	No		Yes Yes		Yes		Yes		Yes	No Yes Yes		Yes		
Restricted Access to System	Prevents unauthorised users from communicating through the repeater	Yes	Yes Yes		es	Yes		Yes		Yes	Yes				
Radio Enable/Disable	Radio can remotely disable and re-enable	Decode	Decode	Decode	ecode Decode Vos		Decode Vos Vos		Decode Voc		Yes	Decode Vac Vac		Yes	
SONE HAR SONE ENGINEERS IN THE SECOND STATES	another radio Enhance personnel safety by monitoring	Only	Only	Only	Only		Only	CONTRACTOR OF THE	100	Only			Only		70.00.00
Integrated Mandown  Dual Capacity Direct Mode	movement Use both TDMA time slots to double capacity	No Yes	_	No Yes		es es		Option		-	es es	Yes	No	No Yes	Yes
SYSTEM CONFIGURATION	without using a repeater	100	l					100				100		100	
Direct Mode Operation	Direct radio-to-radio operation	Yes		Yes	Y	es	ľ	Yes	-	Y	es	Yes		Yes	
Single-Site Conventional	Single site conventional operation	Yes		Yes	Yes		Yes		Yes		Yes	Yes			
IP Site Connect	(channel selection by users) Multi-site conventional operation	Option	Yes Yes		Yes		Yes		Yes			Yes			
Capacity Plus	(channel selection by users) Single site trunking			25-00				.000003							
(single- and multi-site)	(channel selection managed by system)	No		ption		98		Yes			es	Yes	No	Option	Yes
Capacity Max	Multi-site DMR Tier III trunking with dedicated control channel	No		No	Opt	tion		Option		Op:	tion	Yes	No	No	Yes

### **MOTOTRBO MOBILE RADIO FEATURES**

		DM1000 SERIES		DM2000 SERIES	DM4000e SERIES		
FEATURE	DESCRIPTION		DM1600	DM2600	DM4400e/ DM4401e	DM4600e/ DM4601e	
GENERAL SPECIFICATIONS		190,000			11 3333333		
Protocol	DMR digital or analogue communication	Analogu	e/Digitals	Analogue/Digital	Analogu	e/Digital	
requency Range	Capable of operating in the following frequency ranges		UHF	VHF & UHF		UHF!	
Max. Power Output	Radio's full power rating	25W or 45W VHF 25W or 40W UHF		25W or 45W VHF 25W or 40W UHF	25W or 45W VHF 25W or 40W UHF		
Max. Channel Capacity	Programmable channel capacity	16	160	258	99	1000	
Display	Displays provide easy access to advanced features	2-digit numeric	2 Line Monochrome	2 Line Monochrome	2-digit numeric	4 line full colou	
Ceypad	Keypads provide access to radio controls, texting and telephony	No	Menu Buttons	Menu Buttons	No	Menu Buttons	
ntegrated GPS	Embedded GPS receiver for location monitoring	1	lo	No	Y	es²	
ntegrated Bluetooth Capability	Wireless connection for audio accessories or data comms	No		No	Audio and Data <sup>2</sup>		
ermanent Bluetooth Discovery	"Always on" mode used by some location tracking applications	No		No	No		
edicated Emergency Button	Orange programmable button for one-touch emergency calling	1	lo	No	No		
Programmable Buttons	Allow access to most often used features with one press	2	4	4	4		
Digital DMR Signalling	DMR standard digital voice communications	Yes <sup>5</sup>		Yes	Yes		
L/DPL Signalling	Analogue Private Line / Digital Private Line compatible	Yes		Yes	Yes		
luick Call II Signalling	Analogue Quick Call II compatible	Yes		Yes	Yes		
ADC Signalling	Analogue MDC compatible	Υ .	'es	Yes	Yes		
Tone Signalling	Analogue 5 tone compatible	1	lo	Yes	Yes		
OTMF Hot Keypad	DTMFtone compatible		986	Yess	Yess		
MPT 1327 Signalling	Analogue MPT1327 compatible (requires option board)	20 10 10 10 10 10 10 10 10 10 10 10 10 10				Option	
ption Board Capability	Supports option boards for third party applications	No		No Yes	Yes		
MPRES Audio Compatible	IMPRES audio ensures your voice is heard clearer and louder	No		No	Yes		
P Rating	Rated sealing for dust and water ingression		54	IP54	IP54		
imensions (HxWxL)	Physical size	44x169 x134 mm		44x 169 x 134 mm	53 x 175 x 206 mm		
Oimensions (Weight)	Physical weight	1.3 kg		1.3 kg	1.8 kg		
EATURES AND FUNCTIONS	Tityacut Weight	. 65	. MJ	1.0.00	1.5	, NU	
			27		27		
ntelligent Audio	Automatic volume control based on background noise levels		lo	Yes		es	
mergency Alarm	Radio can initiate a Emergency call process	Yes		Yes	Yes		
one Worker	Initiates emergency if user does not respond to periodic alerts	Yes		Yes	Yes		
emote Monitor	Radio can remotely activate another radio's microphone	Decode Only		Yes	Yes		
Freeform Text Messaging User can enter and send free-form text messages		No		No	Yes <sup>6</sup>		
re-programmed Text Messaging	Radio can send pre-programmed text messages	Yes		Yes	Yes		
igital Telephone Patch	Ability to connect to telephone system (requires additional hardware)	No		Option	Yes		
ransmit Interrupt Decode	Radio transmissions can be interrupted by other radios	Yes		Yes	Yes		
ransmit Interrupt Encode	Radio can interrupt transmissions from other radios	No		Yes	Yes		
Basic Privacy	c Privacy MOTOTRBO 16-bit encryption for protection against eavesdropping		29	Yes	Yes		
nhanced Privacy	nced Privacy MOTOTRBO 40-bit encryption for more robust protection		lo	Yes	Yes		
AES 256 Encryption Advanced Encryption Standard (AES) 256-bit encryption		No		No	Option		
efault Voice Announcement	Audible confirmation of selected operations of the radio	Y	es	Yes	Υ	es	
Programmable Voice Announcement	Ability to use customised recordings for voice announcements	Y	98	Yes	Υ	es	
adio Management	RM provides centralised radio configuration and code plug management		es	Yes	Yes		
over the Air Programming (OTAP)	Remote, over-air programming using Radio Management	No		Yes	Yes		
estricted Access to System	icted Access to System Prevents unauthorised users from communicating through the repeater		es	Yes	Yes		
adio Enable/Disable	Radio can remotely disable and re-enable another radio	Dec O	ode nly	Yes	Decode Only	Yes	
oual Capacity Direct Mode	Use both TDMA time slots to double capacity without using a repeater	Y	es	Yes	Y	es	
ixed Installation	Mobile radios can be used in a fixed installation such as a control room	Υ	es	Yes	Yes	Yes	
ontrol Station	Mobile acts as RF link between Application Server and radio network	No		Yes	Yes Ye		
emote Mount Control Head	Controls and display can be located separately from radio chassis	1	lo	No	Op	tion	
YSTEM CONFIGURATIONS							
Oirect Mode Operation	Direct radio-to-radio operation	V	20	Yes	v	ac.	
ingle-Site Conventional	Single site conventional operation (channel selection by users)	Yes Yes		Yes	Yes Yes		
P Site Connect	Multi-site conventional operation (channel selection by users)			Yes	Yes Yes		
Capacity Plus		Option					
single- and multi- site)	Single site trunking (channel selection managed by system)  Multi-site DMP Tier III trunking with dedicated central channel	No		Option No	Yes		
Capacity Max	Multi-site DMR Tier III trunking with dedicated control channel	No		INU	Option		

I VHF frequency range supported is 136-174MHz. UHF frequency range supported is 403-527MHz, except DP1000, DP4000 Ex, St. Series, DM1000 and DM2000 Series when UHF range is 403-470MHz

<sup>&</sup>lt;sup>2</sup> Integrated Bluetooth and GPS are supported on DP4x01e & DM 4601e only

<sup>&</sup>lt;sup>3</sup> Based on NiMH battery

Based on standard Li-lon battery

<sup>5</sup> Analogue-only models of DP1400, DM1400 and DM1600 also available. Analogue models can be upgraded to MOTOTRBO digital by purchasing a software license

<sup>6</sup> Requires keypad microphone




	DIRECT MODE / DUAL CAPACITY DIRECT MODE	SINGLE SITE CONVENTIONAL
SITES	1	1
REPEATERS (MAX)	0/1	1
CHANNELS / SITE (TRAFFIC + DATA REVERT)	1/2+0	2+0
MAX USERS / SITE	100 / 200	200
RADIOS <sup>2</sup> (MAX)	100 / 200	200
TRUNKING	No	No
SEPARATE CONTROLLER	n/a	n/a
CONTROLLER REDUNDANCY	n/a	n/a
SUBSCRIBER ACCESS CONTROL	No	No
SUBSCRIBER AUTHENTICATION	No	No
ENHANCED TRAFFIC CHANNEL ACCESS (COLLISION MITIGATION)	No	Yes
PRIORITISATION	No	No
STORE & FORWARD TEXTS	No	No
QUEUING (LEVELS)	No	No
TRANSMIT INTERRUPT	Yes	Yes
REMOTE MONITOR	Yes	Yes
RADIO ENABLE/DISABLE (STUN/REVIVE)	Yes	Yes

<sup>&</sup>lt;sup>1</sup>SLR repeaters can be used for Extended Range Direct Mode

<sup>&</sup>lt;sup>2</sup>Maximum capacity, based on standardisation low traffic call model



IP SITE CONNECT	CAPACITY PLUS (SINGLE- & MULTI-SITE)	CAPACITY MAX
1-15	1-15	1-250
15	Single site: 8 voice + 12 data revert Multi-site: 165	5250
2 + 0	16 + 24	29 + 12
200	1,600	3,000
200	24,000	100,000
No	Yes	Yes – DMR Tier III
n/a	No	Yes
n/a	n/a	Yes
No	No	Yes
RAS	RAS	Yes
No	No	Yes
No	No	Yes
No	No	No
No	No	Yes (10)
Yes	Yes	Yes
Yes	Yes	Yes
Yes	Yes	Yes





Dar es Salaam (Operations Center):
Off Mwai Kibaki Road,
Block No. 34 Mkuzi Street.
Mbezi Beach Rainbow Area.
Tel: +(255) 222 617 225 | 783 887 225
Email: sales@radiowave.co.tz
GPS Co-ordinates: -6.7229, 39.2286

Dar es Salaam (Sales Center):
Ali Hassan Mwinyi,
Junction to Ruhinde Street,
Mbuyuni, Opposite Don Bosco.
Tel: +(255) 222 666 038 | 772 775 775
Email: salescentre@radiowave.co.tz
GPS Co-ordinates: -6.7804, 39.2729

Arusha:
Kwa Ngulelo Area Baraa,
Block 169G Nazareth Street.
P.O. Box 15360, Arusha, Tanzania.
Tel: +(255) 687 887 225 | 783 064 414
Email: info@radiowave.co.tz
GPS Co-ordinates: -3.3685, 36.7288